

# Ember series ordering guide

## mock chimney installations

### 1. Select **gas type** (engine)

The Ember engine comes with; remote control (batteries included), operation guide, installation guide, granule packs, rockwool, crushed glass, vermiculite, and flexible gas connection.

|  |                             |         |
|--|-----------------------------|---------|
|  | Ember 600 engine <b>NG</b>  | RDV600N |
|  | Ember 600 engine <b>LPG</b> | RDV600L |
|  | Ember 700 engine <b>NG</b>  | RDV700N |
|  | Ember 700 engine <b>LPG</b> | RDV700L |

### 2. Select **frame** option

The frame option will depend on the installation. If you have a hearth, then order the 3-sided frame. If the Ember is being installed elevated from the floor, select the 4-sided frame.

|  |                            |       |
|--|----------------------------|-------|
|  | 600 black 3-sided frame    | R2410 |
|  | 700 black 3-sided frame    | R2400 |
|  | 600 titanium 3-sided frame | R2412 |
|  | 700 titanium 3-sided frame | R2402 |
|  | 600 black 4-sided frame    | R2413 |
|  | 700 black 4-sided frame    | R2403 |
|  | 600 titanium 4-sided frame | R2415 |
|  | 700 titanium 4-sided frame | R2405 |

### 3. Select **burn media** option

The media sets cannot be interchanged—ensure the correct set is ordered. The Ember 700 log set is thicker and longer, and the stone set has six more stones.

|  |               |       |
|--|---------------|-------|
|  | 600 log set   | R2422 |
|  | 700 log set   | R2420 |
|  | 600 stone set | R2423 |
|  | 700 stone set | R2421 |

### 4. Order the **zero clearance frame** (MUST HAVE)










Universal frame for both models. It is required to ensure clearances to combustibles.



|  |                            |       |
|--|----------------------------|-------|
|  | Ember zero clearance frame | R2450 |
|--|----------------------------|-------|


### 5. Select the **flue components**

The starting component for a vertical or horizontal configuration starts with an Ember adapter—MUST be ordered. If flueing needs to be longer, order additional flue lengths, or flue extensions as required.

|  |  |       |
|--|--|-------|
|  | Ember adapter (order this first then add flue kits and / or flue components) | R3653 |
|  | Flue kit vertical 3.6 m  | R3665 |

| 5. Select the <b>flue components</b> continued                                      |   |   |
|---|---|---|
|    | Flue pipe 150 mm<br>Flue pipe 230 mm<br>Flue pipe 300 mm<br>Flue pipe 450 mm<br>Flue pipe 600 mm<br>Flue pipe 900 mm<br>Flue pipe 1200 mm | R3630<br>R3631<br>R3632<br>R3633<br>R3634<br>R3635<br>R3636 |
|    | Flue extension 75-175 mm<br>Flue extension 75-360 mm  | R3638<br>R3639  |
|    | Flue elbow 45° (two in a kit)   | R3642   |
|    | Flue elbow 90°  | R3643   |
|   | Horizontal flashing kit   | R3646   |
|  | Horizontal wall terminal  | R3650   |
|  | Roof cowl   | R3651   |
|  | Wall flue strap   | R3647   |
|  | Elbow flue strap  | R3644   |

| 6. Order <b>optional</b> accessories  |  |       |
|---|--|-------|
|  | Gas Fireplace Wi-Fi module             | R7000 |
|  | High wind cowl vertical protection kit | R3655 |



# Ember series ordering guide

## masonry chimney installations

### 1. Select **gas type** (engine)

The Ember engine comes with; remote control (batteries included), operation guide, installation guide, granule packs, rockwool, crushed glass, vermiculite, and flexible gas connection.

|  |                             |         |
|--|-----------------------------|---------|
|  | Ember 600 engine <b>NG</b>  | RDV600N |
|  | Ember 600 engine <b>LPG</b> | RDV600L |
|  | Ember 700 engine <b>NG</b>  | RDV700N |
|  | Ember 700 engine <b>LPG</b> | RDV700L |

### 2. Select **frame** option

If the cavity is larger than the 3-sided frame, the infill panel can be ordered **in addition** to the frame to cover the gap behind the fire and frame. Another option, for the Ember 700 only, is a masonry frame which can be ordered **instead** of the 3-sided frame. The masonry frame has a wider profile than the 3-sided frame.

|  |                            |       |
|--|----------------------------|-------|
|  | 600 black 3-sided frame    | R2410 |
|  | 700 black 3-sided frame    | R2400 |
|  | 600 titanium 3-sided frame | R2412 |
|  | 700 titanium 3-sided frame | R2402 |
|  | 600 infill panel           | R2453 |
|  | 700 infill panel           | R2452 |
|  | 700 masonry frame          | R2406 |

### 3. Select **burn media** option

The media sets cannot be interchanged—ensure the correct set is ordered. The Ember 700 log set is thicker and longer, and the stone set has six more stones.

|  |               |       |
|--|---------------|-------|
|  | 600 log set   | R2422 |
|  | 700 log set   | R2420 |
|  | 600 stone set | R2423 |
|  | 700 stone set | R2421 |




### 4. Select the **flue components**

Masonry **vertical** termination flue kit



|  |  |       |
|--|--|-------|
|  | Masonry vertical flexi flue kit 5.5 m DV           | R3656 |
|  | Masonry vertical flexi flue extension kit 2.5 m DV | R3657 |

**4. Select the flue components**

Masonry **horizontal** flue components

|   |                             |       |
|---|-----------------------------|-------|
|  | Ember adapter               | R3653 |
|  | Masonry horizontal flue box | R2449 |
|  | Horizontal wall terminal    | R3650 |

**5. Order optional accessories**

|   |  |       |
|---|--|-------|
|   | Gas Fireplace Wi-Fi module             | R7000 |
|  | High wind cowl vertical protection kit | R3655 |